

Epilepsy

This page was last modified on 18 May 2016, at 10:53.



Contents

- [Condition](#)
- [Individual at risk](#)
- [Guidance at RECRUITMENT](#)
- [Guidance at CT /WORK-UP](#)
- [Justification for guidance](#)
- [References](#)
- [Notes](#)

Condition

Epilepsy is a chronic neurological disorder characterized by recurrent brief episodes of involuntary shaking (seizures) which may involve a part of the body (partial) or the entire body (general).

Individual at risk

Donor

Guidance at RECRUITMENT

ACCEPT if seizure-free for the previous 12 months WITHOUT medication.

DEFER if currently requiring medication

Guidance at CT/WORK-UP

ACCEPT if seizure-free for the past 12 months WITHOUT medication. Inform the anaesthetist at work-up of seizure history.

DEFER if currently requiring medication.

Justification for guidance

There is a potential increased risk for perioperative seizures due to the pre-existent condition or the proconvulsant effect of anaesthetic drugs, and also due to electrolyte changes experienced during apheresis.

Anticonvulsant medications may cause abnormalities in blood counts, which may exacerbate those seen after PBSC.

References

<http://www.who.int/mediacentre/factsheets/fs999/en/index.html>

Benish SM, Cascino GD, Warner ME, Worrell GA, Wass CT. Effect of general anesthesia in patients with epilepsy: a population-based study. *Epilepsy Behav* 2010; 17(1): 87-9.

Notes

ICD code 345

