

(archived) CBB Survey 2015 WO-1366

CBB Survey 2015

These data are submitted by the cord blood bank to the WMDA in February 2015. The WMDA makes no representations or express or implied warranties regarding any information on this site or obtained through these links; expressly disclaims all legal liability and responsibility for the accuracy, completeness, currency, suitability, validity, or usefulness of such information; and is not and will not be liable for any statements, errors, or omissions in posted information, or for any losses, injuries, or damages that arise or are alleged to arise from such information. Use of any information provided on this site does not and is not intended to create a contractual or other relationship. All information is on an as-is basis. The data cannot be updated.

1. General Information	
Name of CBB	Pavia CBB
CBB Director	Laura
CBB Director	Salvaneschi
Address	viale C. Golgi 19
Address	27100
Address	Pavia
Phone Number	+39 0382 503086-3088
Website	pvcbbank@smatteo.pv.it
Date CBB Started Collecting Cord Blood Units (month/day/year)	01/01/1997
Number of Public Cord Blood Units	4,335
Planned Number of Public Cord Blood Units Stored in 2015	150
Lists on BMDW	Yes
Affiliated with National Stem Cell Donor Registry	Yes
Registry Affiliation	IBMDR (Italian Bone Marrow Donor Registry)
2. Cord Blood Units in Inventory	
Current Processing Method	Liquid+ plasma only
Year Current Process Method Started	2004
Percent of Units Plasma and RBC Reduced (manual)	60
Percent of Units No Volume Reduction	40
3. Accreditations, Licenses and Certifications	
FACT-Netcord	Yes
AABB	No
Competent Authority/ National Health Authority	Yes
Name of Competent Authority	National Blood Center (CNS)/National Transplant Center (CNT)
Audited by National Stem Cell Registry	Yes
ISO	Yes
Other	NMDP IND protocol
4. Cord Blood Collection	
Current Collection Practice Is the collection In/Ex -Utero or both?	In-utero
Current Antiseptic	Chlorhexidine
Collection Bag	Double needle

Agitation during Collection	Manual
5. Conditioning/Transport from Collection Site to CBB	
Secondary Bag Used	Yes
Transport Conditions	Qualified transporter
Transport Conditions	Insulating transport container
Transport Conditions	Electronic temperature probe
Transport Conditions	Ground transport
Temp. for Storage and Transport	Other (lower limit +1-35°C, higher limit +6-30°C)
6. Pre-Processing Evaluation	
Completed Prior to Accepting a CBU	Medical history, collection report, informed consent
Current Threshold for Accepting a CBU	Viability threshold CD45
Method for CD34 Remuneration	ISHAGE guidelines
External Proficiency Testing for QC of FACS Lab	UKNEQAS
Post Processing/ Pre Freeze CD34+ Cell Count	Yes
Time from Collection to Processing	up to 48H
7. Processing and Packaging	
Pre Freeze Processing Methods- Unit in Inventory	No processing
Pre Freeze Processing Methods- Unit in Inventory	Other: Manual plasma depletion
Pre Freeze Processing Methods- Current	Other: Plasma depletion manual
Additives Currently in Use	No additive
Current Cryopreservation Method	Conventional CRF
Current Cryopreservation Method	Other: Liquid phase
Current Cryoprotectant Additive	DMSO
Current Cryobag	Single bag (one fraction)
Current Target Cryopreservation Volume (mL)	50 or 100 ml
Current Packaging for Storage	Canister
Current Packaging for Storage	More than one segment
Current Packaging for Storage	Other: 3 satellite cryovials containing NC(CB) stored with the unit
8. Testing	
Extra Material Currently Stored	Cord blood DNA
Extra Material Currently Stored	Cord blood material for DNA extraction
Extra Material Currently Stored	Plasma/cord blood
Extra Material Currently Stored	Maternal DNA
Extra Material Currently Stored	Maternal plasma/serum
Current Post Processing Threshold for Accepting a CBU for Public Use TNC	120
Current Post Processing Threshold for Accepting a CBU for Public Use CFU-GM	> or =1
Current Post Processing Threshold for Accepting a CBU for Public Use CFU	> or = 1
Current Post Processing Threshold for Accepting a CBU for Public Use Viability	70

9. Storage	
Type of Storage Container Used	Conventional tank liquid phase
Monitoring of Storage	Centralized system remote monitoring
Monitoring of Storage	LN2 level
Monitoring of Storage	Lid opening
Monitoring of Storage	System default
Monitoring of Storage	Temperature monitoring
10. HLA Typing	
Current Level of HLA Typing at Time of Listing HLA-A	IR
Current Level of HLA Typing at Time of Listing HLA-B	IR
Current Level of HLA Typing at Time of Listing HLA-C	IR
Current Level of HLA Typing at Time of Listing HLA-DRB1	HR
Current Level of HLA Typing at Time of Listing HLA-DQB1	
Current Level of HLA Typing at Time of Listing HLA-DPB1	
Accreditation of HLA Lab	EFI accredited lab
Average Turnaround Time for Extended HLA Typing Results in days	7
Attached Segment Used for Confirmatory/ Verification Typing	Yes
Units Listed without Attached Segment and have not been Previously Typed on Attached Segment	Yes
Percentage of CBUs that have an Attached Segment	below 50%
Confirmatory/ Verification Typing on an Attached Segment is Pre-Release Requirement	No
11. Reservation and Cancellation Policies	
What Point is a CBU Reserved for a Patient	Reservation request
Length of Time a CBU can be Reserved in days	Other
Length of Time a CBU can be Reserved in days	30 days + 30 days
Reservation Fee	No
Reservation Cancellation Fee in Absence of Shipment Request	No
Can Reservation be Extended	Yes
Is a Unit Report Provided on a Unit that is Reserved for Another Patient	No
Is TC Informed when CBU is Released	Yes
12. Release and Shipment	
Hemoglobinopathy Screening Performed Prior to Release	Yes
Criteria to Ship a CBU Viability and Cell Count	40% / 60% NC recovery
Criteria to Ship a CBU HLA Identity Testing	Yes

Current Packaging for Shipment to TC	Metal canister
Current Packaging for Shipment to TC	One attached segment
Current Packaging for Shipment to TC	Protective sleeve
Current Packaging for Shipment to TC	Transport rack
Time Between Shipment Request and Sending CBU	Other
Time to Prepare a Cord Blood Unit for Shipment	standard procedure: 2 weeks, urgent procedure: 2 days
Fee for Shipment Cancellation	Yes
Dry Shippers Validated to Maintain Temperature of at least -150 for 48 hours Beyond Expected Arrival	Yes
Electronic Temperature Data Logger on All Dry Shippers	Yes
Who Selects Transport Company	CBB
Who Selects Transport Company	World Courier is selected by IBMDR. Excepted for couriers selected by FGM and ANT.
Shape of Transport Container	Mushroom
13. Adverse Events Reporting	
Who are S(P)EARS Reported To National Registry	Yes

14. Pictures of cord blood units in the inventory

15. Infectious Disease Marker (IDM) CURRENTLY performed.



Holiday Calendar

Team Calendars
