



USER GUIDE

SPEAR

**REPORTING SERIOUS (PRODUCT)
EVENTS AND ADVERSE REACTIONS
VIA AN ONLINE REPORTING TOOL**



	User Guide SPEAR			
	Document type	Work Instruction	Approved by	WMDA office
	Document reference	PDC.1001.WI.User Guide SPEAR.v1.3	Approval date	20220318
	Version	1.3	Pages	Page 2 of 14
	Pillar	Pillar 3 – Donor Care	Status	Public

Table of Contents

1. Introduction to SPEAR	3
1.1 Definition of adverse events	3
1.2 The user guide	3
2. Quick start.....	4
1. Log in.....	4
2. Create/submit/view reports	4
3. Create a report.....	4
4. Selecting the type of report	5
5. Finalizing the report.....	6
6. Additional info requested	8
Reporting a rapid alert.....	10
4. Process flow	11
5. Frequently asked questions.....	12
5.1 How can I become a SPEAR reporter?	12
5.2 How do I login?	12
5.3 I forgot my user name/password.....	12
5.4 What to report and what not to report?	12
5.5 How do I assess the imputability?.....	12
5.6 How do I assess the severity of the reaction?	12
5.7 What ICD-10 refence can I use?	12
5.8 I made a mistake in a submitted report, can I change this?	12
5.9 How can I withdraw a submitted report?	12
5.10 Will I receive feedback on the report and in what time frame?.....	13
5.11 What happens with the reported incident?	13
5.12 What is the annual report?	13
5.13 What does a Rapid Alert mean?	13
6. Terminology.....	14

	User Guide SPEAR			
	Document type	Work Instruction	Approved by	WMDA office
	Document reference	PDC.1001.WI.User Guide SPEAR.v1.3	Approval date	20220318
	Version	1.3	Pages	Page 3 of 14
	Pillar	Pillar 3 – Donor Care	Status	Public

1. Introduction to SPEAR

In July of 2019, the World Marrow Donor Association (WMDA) launched a new global online reporting tool for WMDA member organisations to report Serious (Product) Events and Adverse Reactions – S(P)EARs – to the WMDA. With this global online reporting tool, the WMDA collects and analyses information on recipient and donor S(P)EARs which affect donors and/or products from the WMDA stem cell donor registries and cord blood banks. Trends and patterns can be identified and if necessary, rapid communication on severe incidents can be disseminated to the global community.

1.1 Definition of adverse events

WMDA member organisations and their affiliated organisations are obliged to report to WMDA any unexpected donor and/or patient issue or product quality issue in a timely manner. If necessary, urgent measures can then be implemented to protect donors and/or patients, such as a recall of one or more defective batch(es) from the market or change in policies and procedures. Any adverse event or reaction, or risk thereof, that occurs during any step in the stem cell donation process can and should be reported in the SPEAR online reporting tool. This includes adverse events or reactions that occur to patients and donors, related and unrelated. The WMDA follows the EU definitions of a serious adverse event or reaction:

EU definition of a serious adverse event

DIRECTIVE 2004/23/EC, article 3 (m)

‘serious adverse event’ means any untoward occurrence associated with the procurement, testing, processing, storage and distribution of tissues and cells that might lead to the transmission of a communicable disease, to death or life-threatening, disabling or incapacitating conditions for patients or which might result in, or prolong, hospitalisation or morbidity.

WMDA classification: *Risk of Harm*

EU definition of a serious adverse reaction

DIRECTIVE 2004/23/EC, article 3 (n)


‘serious adverse reaction’ means an unintended response, including a communicable disease, in the donor or in the recipient associated with the procurement or human application of tissues and cells that is fatal, life-threatening, disabling, incapacitating or which results in, or prolongs, hospitalisation or morbidity.

WMDA classification: *Harm to a Donor / Recipient*

1.2 The user guide

This user guide to the PEAR online reporting tool is designed to provide background information on the SPEAR reporting tool. It outlines how to submit a SPEAR report and provides answers to commonly asked questions. If any information is missing or something is unclear to you, please do not hesitate to contact us at: sear-spear@wmda.info.

To get access to this online reporting tool (as a SPEAR reporter), to send us your feedback or if you have any questions, please let us know. You can contact us via e-mail on: sear-spear@wmda.info

	User Guide SPEAR			
	Document type	Work Instruction	Approved by	WMDA office
	Document reference	PDC.1001.WI.User Guide SPEAR.v1.3	Approval date	20220318
	Version	1.3	Pages	Page 4 of 14
	Pillar	Pillar 3 – Donor Care	Status	Public

2. Quick start

1. Log in


In your browser, go to <https://wmda.knack.com/spear> and login with your user name and password.

No account yet? Send an email to sear-spear@wmda.info to request login credentials and to receive further instructions



2. Create/submit/view reports

Once you're logged in, click on "Go to dashboard". Here you can write, submit and view your reports. Some reporters will be affiliated to multiple organisations. Please select the dashboard you currently want to use.





3. Create a report

In the dashboard you can add a new report or view the reports you've previously submitted. To add a new report click the "Add report" button at the top of the page.

Reports are automatically saved to allow to continue editing at a later time. Previously started reports can be found in the "In draft" table in the dashboard.




	User Guide SPEAR			
	Document type	Work Instruction	Approved by	WMDA office
	Document reference	PDC.1001.WI.User Guide SPEAR.v1.3	Approval date	20220318
	Version	1.3	Pages	Page 5 of 14
	Pillar	Pillar 3 – Donor Care	Status	Public



The screenshot shows the WMDA dashboard interface. At the top left is the WMDA logo. Below it, there are navigation links for 'Welcome' and 'Dashboard'. On the right, it says 'Logged in as' followed by 'Account Settings - Log Out'. The main content area has a 'View Stats Reports' button and an 'Add Report' button, which is highlighted with a red arrow. Below the 'Add Report' button, there are three sections: 'In Draft', 'Submitted to this Organisation', and 'Additional Info Requested'. Each section has a table with columns for 'Report ID', 'Type of Report', 'Status', 'ION', 'Organisation', 'Created By', 'Created On', 'Updated On', and 'View Report'. All three tables currently show 'No Data'.

4. Selecting the type of report


There are three types of report to choose from: Harm to a donor, harm to recipient or risk of harm. Depending on the type of harm you choose, the tool will display different relevant questions. A brief description of each category can be found on the “Type of report” page (see image below).



The screenshot shows the 'Type of Report' selection page. At the top left is the WMDA logo. Below it, there are navigation links for 'Welcome', 'Dashboard', and 'Add Report'. On the right, it says 'Logged in as' followed by 'Account Settings - Log Out'. The main content area has a heading 'Type of Report' and a section titled 'Type of report *'. This section contains three radio button options:

- Harm to a donor: Choose this category to report an adverse reaction in a donor during or after a donation procedure. You can also use this category to report other negative consequences for the donor, such as unnecessary procedures. This category is comparable to what was previously called a 'SEAR'.
- Harm to a recipient: Choose this category to report an adverse reaction in a recipient during or after the infusion of a cell product. You can also use this category to report any harm in a recipient as a consequence of product quality issues, delay in delivery etc. This category is comparable to what was previously called a 'SPEAR'.
- Risk of harm: Choose this category to report any problem or incident that could have had (but did not have) negative consequences for the donor or the recipient or the system (as a whole).


A red callout box with a white border points to the radio button options, containing the text: 'Select the type of report that best suits the type event you are reporting.' Below the radio button options is a 'Continue' button.

	User Guide SPEAR			
	Document type	Work Instruction	Approved by	WMDA office
	Document reference	PDC.1001.WI.User Guide SPEAR.v1.3	Approval date	20220318
	Version	1.3	Pages	Page 6 of 14
	Pillar	Pillar 3 – Donor Care	Status	Public

5. Finalizing the report

Once you’ve filled out all the necessary information, your report is ready to be submitted. The final tab, titled “Review and submit”, will display any issues that need to be solved before the report can be submitted. To submit the report, please click the “submit to WMDA” button that can be found next to the report ID at the top of the page.

1. Click on the tab “Review and Submit”.
2. Double check all your data.
3. Make sure to fill in all mandatory questions



Welcome > Dashboard > Edit Report Logged in as [Account Settings](#) - [Log Out](#)

WMDA-2020-001068

Navigate between form sections using the tabs. Remember to save your progress with each section.

[Type of Report](#)
[Description of Harm](#)
[Product Specification](#)
[Donor Details](#)
[Donation Details](#)
[Recipient Details](#)
[Transplantation Details](#)
[Investigation of Problem or Incident](#)
[Investigation of Transport Problems](#)
[Finalisation](#)
[Review & Submit](#)

The following issues must be resolved before the report can be submitted

Donor Details Sex is a required field.
Please provide the age of donor at time of (intended) donation.

Fill out any mandatory fields before you continue

Details

Report ID WMDA-2020-001068

Author .

Org .

Current Status In Draft


Created On 2020/07/09 16:06PM


Type of Report

Type of Report * Harm to a donor

Long/short-term harm * Harm to donor less than or equal to six months

4. Remove any confidential patient/donor related data
5. Click on the button “Submit to WMDA”

	User Guide SPEAR			
	Document type	Work Instruction	Approved by	WMDA office
	Document reference	PDC.1001.WI.User Guide SPEAR.v1.3	Approval date	20220318
	Version	1.3	Pages	Page 7 of 14
	Pillar	Pillar 3 – Donor Care	Status	Public



[Welcome](#) > [Dashboard](#) > [Edit Report](#)
Logged in as [Account Settings](#) - [Log Out](#)

WMDA-2020-001068

Navigate between form sections using the tabs. Remember to save your progress with each section.

Type of Report
Description of Harm
Product Specification
Donor Details
Donation Details
Recipient Details
Transplantation Details

Investigation of Problem or Incident
Investigation of Transport Problems
Finalisation
Review & Submit

Details

Report ID	WMDA-2020-001068		Submit to WMDA ←
Author			
Org			
Current Status	In Draft		
Created On	2020/07/09 16:06PM		


Type of Report

Type of Report * Harm to a donor

Long/short-term harm * Harm to donor less than or equal to six months

To view the reports you've submitted, you can find them on your dashboard. Here you can also view other reports with different statuses (e.g. draft reports, additional information requested and the reports that have been reviewed by the SPEAR committee.




	User Guide SPEAR			
	Document type	Work Instruction	Approved by	WMDA office
	Document reference	PDC.1001.WI.User Guide SPEAR.v1.3	Approval date	20220318
	Version	1.3	Pages	Page 8 of 14
	Pillar	Pillar 3 – Donor Care	Status	Public

6. Additional info requested

Once you submit a report, it will be reviewed by the medical advisor. If there are any additional questions or a request for more information, the report will be sent back to you. You can find the report in the “additional info requested” box on your dashboard.

To answer a request for additional information:

1. Go to your dashboard.
2. Open the report by clicking on ‘View Report Details’.



Welcome > [Dashboard](#) Logged in as [Account Settings](#) - [Log Out](#)

[View Stats Reports](#)

[Add Report](#)

In Draft


Report ID	Type of Report	Status	ION	Organisation	Created By	Created On	Updated On	Edit Report	View Report	Delete Draft
WMDA-2020-001068	Harm to a donor	In Draft				2020/07/09 16:06PM	2020/07/15 05:00PM	Edit Report	view	delete

Submitted to this Organisation

Report ID	Type of Report	Status	ION	Organisation	Created By	Created On	Updated On	View Report
No Data								

Additional Info Requested

Report ID	Type of Report	Status	ION	Organisation	Created By	Created On	Updated On	View Report
WMDA-2018-000878	Harm to a donor	Additional Info Requested				2018/01/01 12:09PM	2020/07/14 03:35PM	View Report Details

	User Guide SPEAR			
	Document type	Work Instruction	Approved by	WMDA office
	Document reference	PDC.1001.WI.User Guide SPEAR.v1.3	Approval date	20220318
	Version	1.3	Pages	Page 9 of 14
	Pillar	Pillar 3 – Donor Care	Status	Public

3. Scroll down to read the question in the Comments section.
4. Provide you answer or additional information via the “Add comment” button.

The designated donor - collection or transplant centre is informed No

Any feedback on the questionnaire?

Consent Yes

Comments

search by keyword

Comment	Posted By	Posted At
Could you provide more information on the on the donor details?		07/15/2020 5:11pm


Confidential Comments


search by keyword

Comment	Posted By	Posted At
No Data		

[Back to Top](#)

4. Once you’ve filled out all the requested information, scroll to the top of the page.
5. Click “Submit to WMDA” to re-submit your report including the additional information.

	User Guide SPEAR			
	Document type	Work Instruction	Approved by	WMDA office
	Document reference	PDC.1001.WI.User Guide SPEAR.v1.3	Approval date	20220318
	Version	1.3	Pages	Page 10 of 14
	Pillar	Pillar 3 – Donor Care	Status	Public



WMDA-2018-000878

Print

Details

Report ID	WMDA-2018-000878	Submit to WMDA
Author		
Org		
Current Status	Additional Info Requested	
Created On	2018/01/01 12:09PM	

[Submit to Member Org](#)

Type of Report

Type of Report *	Harm to a donor
Long/short-term harm *	Harm to donor more than six months after donation (potentially due to haematopoietic stem cell donation)

Please make sure you click the **submit to WMDA button** when you're finished writing your comment to the additional information that was requested. If not, the report will not be sent back to the medical advisor and your input is not submitted.




Reporting a rapid alert

In case of recall or big risks for future donations or transfusions a report can be submitted as a rapid alert. This includes, but is not limited to:

- any prohibition or restriction imposed by the competent authority/health authorities of any country in which the stem cell product is provided or transplanted;
- donor death;

Please **flag** your report as a rapid alert after submitting it by contacting WMDA the by telephone (+31-(0)88 5057900) or e-mail (sear-spear@wmda.info). If the report qualifies as a rapid alert and for dissemination to the international community, it will always be shared without any traceable information on the reporting agency, donor, patient or reporter.

In addition, reporters should notify their competent authorities/health where incident has occurred.

	User Guide SPEAR			
	Document type	Work Instruction	Approved by	WMDA office
	Document reference	PDC.1001.WI.User Guide SPEAR.v1.3	Approval date	20220318
	Version	1.3	Pages	Page 11 of 14
	Pillar	Pillar 3 – Donor Care	Status	Public

4. Process flow


Donor, transplant or collection centres are affiliated with donor registries have the possibility to create reports and submit them to the reporting organisation/donor registry. The further handling of the report will go via the donor registry. The donor registry can approve and submit reports from submitting organisations as well as their own incident reports.


When submitted, all reports are available to the WMDA office and the SPEAR Committee. The WMDA office team for SPEAR reporting consists of a medical advisor and a project coordinator. The medical advisor reviews all reported incidents at least once a week and checks for rapid alerts. If necessary, the medical advisor can request the reporting organization for additional information. If the report is approved by the medical advisor, it will be turned over to the SPEAR Committee.

4.1 The SPEAR committee

The SPEAR Committee consists of various medical experts from worldwide WMDA member organisations. The membership of the group consists of elected representatives of the WMDA membership, the majority with clinical experience, including members of the Clinical, Ethics and Cord Blood Working Groups. In addition to these voting members, the committee also includes one non-voting Regulatory and Legal Affairs member, and one non-voting member from the WMDA Office. A long-term of 6 years may be served, and was felt to be desirable in order for committee members to build up expertise and experience, especially where there is a need to recognise very rare events.

Their main task is to review and assess the data of the SPEAR reports. Each SPEAR report is assigned to a specific voting member who reviews it before the meeting and leads the discussion of the event or reaction. If necessary, a committee member can request additional information or propose a change to the report details. If so, the reporter will be contacted. The committee meets regularly, but in case of a Rapid Alert they will ad-hoc schedule a meeting to discuss the issue, followed by sending out the Rapid Alert to the WMDA community if required.



	User Guide SPEAR			
	Document type	Work Instruction	Approved by	WMDA office
	Document reference	PDC.1001.WI.User Guide SPEAR.v1.3	Approval date	20220318
	Version	1.3	Pages	Page 12 of 14
	Pillar	Pillar 3 – Donor Care	Status	Public

5. Frequently asked questions

5.1 How can I become a SPEAR reporter?

To become a SPEAR reporter, you contact the WMDA office to receive login details and further instructions on how to access the system. Please contact the SPEAR project coordinator by e-mail: sear-spear@wmda.info In this email, please state your full name, organization and if your organization is required to report via an affiliated parent organisation (eg. a national donor registry)

5.2 How do I login?

Login on <https://wmda.knack.com/spear#welcome/> with your email address and password. If you do not have a password yet, please see question 5.1.

5.3 I forgot my user name/password

When you go to the [login page](#) you will find the login module where you can enter your email address and password. Click on “forgot?” next to the Password field. Enter your email address in the designated box and press the “Submit” button. You will then receive a link to reset your password. Please check your SPAM folder.

5.4 What to report and what not to report?

Check the document [S\(P\)EAR examples of what to report and what not to report](#). In addition, see the [Standard Operating Procedure](#) for reporting SEAR/SPEAR on WMDA Share.

5.5 How do I assess the imputability?

To perform an imputability assessment, WMDA created the [Imputability Assessment Tool](#).

5.6 How do I assess the severity of the reaction?

More information on assessing the severity of a reaction can be found on the page of the Imputability assessment tool (see above).

5.7 What ICD-10 refence can I use?


The WHO [online ICD-10 reference tool](#) is used for assigning ICD-10 codes to SPEAR reports.

5.8 I made a mistake in a submitted report, can I change this?

Once you have submitted a report to the WMDA, you can no longer make changes yourself. If it is an important change or update that needs to be made before the report is reviewed by the medical advisor and or committee, please contact sear-spear@wmda.info and outline the report ID and details of the change request to the WMDA office.

5.9 How can I withdraw a submitted report?

Once a report has been submitted, you can not withdraw the report. If withdrawal is necessary, please contact the WMDA office at sear-spear@wmda.info with the Report ID number and the details outlining why the report should be withdrawn. The WMDA office and the medical advisor will then assess if your request for withdrawal will be honored or not.

	User Guide SPEAR			
	Document type	Work Instruction	Approved by	WMDA office
	Document reference	PDC.1001.WI.User Guide SPEAR.v1.3	Approval date	20220318
	Version	1.3	Pages	Page 13 of 14
	Pillar	Pillar 3 – Donor Care	Status	Public

5.10 Will I receive feedback on the report and in what time frame?

In general, you will not receive any feedback. WMDA and/or the SPEAR Committee could ask for additional information, visible via comments under the report. Once a report has been reviewed by the committee, you can see the committee’s final assessment in the Dashboard.

5.11 What happens with the reported incident?

All reported incidents are collected in the system and will be analysed. They will be shared anonymously with the WMDA community in annual SPEAR reports.


5.12 What is the annual report?

Annually, the WMDA office analyses and summarises all provided SPEAR data. This is then published in annual SPEAR reports which are published on WMDA Share, available for the WMDA community.

5.13 What does a Rapid Alert mean?

A Rapid Alert can be sent out in the rare case of a donor death, or if the chair of the SPEAR Committee deems a SPEAR report to require expedited reporting. An ad-hoc meeting of the SPEAR Committee will then be called within 5 working days to review the event. Rapid alerts consist of a brief description of the event that has occurred (without any information that can trace back to the reporting registry, reporter, patient or donor) and recommendations based on the event that has occurred. The recommendations can be used as a guideline for best practice.

If you have a **rapid alert** that needs to be shared with the community quickly, we urge you to send a separate e-mail to the WMDA office (sear-spear@wmda.info) or call us on: +31 88 505 7900.

	User Guide SPEAR			
	Document type	Work Instruction	Approved by	WMDA office
	Document reference	PDC.1001.WI.User Guide SPEAR.v1.3	Approval date	20220318
	Version	1.3	Pages	Page 14 of 14
	Pillar	Pillar 3 – Donor Care	Status	Public

6. Terminology

TERM	DEFINITION
IMPUTABILITY	<p>An assessment of the likelihood that an adverse event / reaction in a donor or recipient is related to the process of donation or to a safety or quality defect in the transplanted tissue or cells.</p> <p>Defined as: Definite, Probable, Possible, Unlikely, Excluded, or Not Assessable.</p>
IMPUTABILITY ASSESSMENT TOOL	A online tool developed by the WMDA to help identify the likelihood an event is attributed to the donation or transplantation process.
MEDICAL CONSULTANT	The medical consultant is part of the WMDA committee and works as a medical doctor that works in the field of hematopoietic stem cell transplantation.
REPORT ID	The report ID is a uniquely identifying code that is specific to each report. It is automatically generated when a new report is created.
REPORTER	The reporter is the author of the report and the person that submits the report to the WMDA on behalf of the reporting registry or donor, transplant or collection centre