(archived) CBB Survey 2015 WO-1352

CBB Survey 2015

These data are submitted by the cord blood bank to the WMDA in February 2015. The WMDA makes no representations or express or implied warranties regarding any information on this site or obtained through these links; expressly disclaims all legal liability and responsibility for the accuracy, completeness, currency, suitability, validity, or usefulness of such information; and is not and will not be liable for any statements, errors, or omissions in posted information, or for any losses, injuries, or damages that arise or are alleged to arise from such information. Use of any information provided on this site does not and is not intended to create a contractual or other relationship. All information is on an as-is basis. The data cannot be updated.

1. General Information	
Name of CBB	Cell and Tissue Bank
CBB Director	Fabrizio
CBB Director	Scatena
Address	Via Paradisa, 2
	<u> </u>
Address	56124
Address	Pisa
Phone Number	+39050995522
Date CBB Started Collecting Cord Blood Units (month/day/year)	01/07/2004
Number of Public Cord Blood Units	1,131
Planned Number of Public Cord Blood Units Stored in 2015	50
Lists on BMDW	No
Affiliated with National Stem Cell Donor Registry	Yes
Registry Affiliation	IBMDR
2. Cord Blood Units in Inventory	
Current Processing Method	Liquid+ red auto
Year Current Process Method Started	2007
Percent of Units Plasma and RBC Reduced (automated)	50
Percent of Units No Volume Reduction	50
3. Accreditations, Licenses and Certifications	
FACT-Netcord	No
AABB	No
Competent Authority/ National Health Authority	No
Audited by National Stem Cell Registry	No
ISO	Yes
4. Cord Blood Collection	
Current Collection Practice Is the collection In/Ex -Utero or both?	Ex-utero
Collection Bag	Double needle
	Manual
Agitation during Collection	
Agitation during Collection 5. Conditioning/Transport from Collection Site to CBB	


9. Storage	
Current Post Processing Threshold for Accepting a CBU for Public Use Viability	NA
Current Post Processing Threshold for Accepting a CBU for Public Use CFU	NA
Current Post Processing Threshold for Accepting a CBU for Public Use CFU-GM	NA
Current Post Processing Threshold for Accepting a CBU for Public Use CD34 (10^6) Double Platform	NA
Current Post Processing Threshold for Accepting a CBU for Public Use CD34 (10^6) Single Platform	NA
Current Post Processing Threshold for Accepting a CBU for Public Use	130
Extra Material Currently Stored	Maternal plasma/serum
Extra Material Currently Stored	Maternal material for DNA extraction
Extra Material Currently Stored	Maternal DNA
Extra Material Currently Stored	Plasma/cord blood
Extra Material Currently Stored	Cord blood material for DNA extraction
Extra Material Currently Stored	Cord blood DNA
8. Testing	
Current Packaging for Storage	Additional separate segments
Current Packaging for Storage	More than one segment
Current Packaging for Storage	Canister
Current Packaging for Storage	Overwrap
Current Target Cryopreservation Volume (mL)	80.0
Current Cryobag	Multiple bags
Current Cryobag	Single bag (one fraction)
Current Cryoprotectant Additive	Other: Albumin, NaCl
Current Cryopreservation Method	Other: Liquid nitrogen
Pre Freeze Processing Methods- Current	SEPAX
Pre Freeze Processing Methods- Unit in Inventory	Other: Manual without volume reduction
Pre Freeze Processing Methods- Unit in Inventory	SEPAX
7. Processing and Packaging	
Time from Collection to Processing	up to 48H
Post Processing/ Pre Freeze CD34+ Cell Count	Yes
External Proficiency Testing for QC of FACS Lab	UKNEQAS
Method for CD34 Remuneration	ISHAGE guidelines
Completed Prior to Accepting a CBU	Medical history, collection report, informed consent
6. Pre-Processing Evaluation	
Temp. for Storage and Transport	Temperature between +2 to +8°C
Transport Conditions	Insulating transport container
	T. Control of the Con

Type of Storage Container Used	Conventional storage tank vapor phase
Type of Storage Container Used	Conventional tank liquid phase
Monitoring of Storage	Centralized alarm system local
Monitoring of Storage	LN2 level
Monitoring of Storage	Temperature monitoring
10. HLA Typing	
Current Level of HLA Typing at Time of Listing	LR
Current Level of HLA Typing at Time of Listing HLA-B	LR
Current Level of HLA Typing at Time of Listing HLA-C	
Current Level of HLA Typing at Time of Listing HLA-DRB1	LR
Current Level of HLA Typing at Time of Listing HLA-DQB1	
Current Level of HLA Typing at Time of Listing HLA-DPB1	
Accreditation of HLA Lab	EFI accredited lab
Average Turnaround Time for Extended HLA Typing Results in days	?10
Attached Segment Used for Confirmatory/ Verification Typing	No
Units Listed without Attached Segment and have not been Previously Typed on Attached Segment	Yes
Percentage of CBUs that have an Attached Segment	90-100%
Confirmatory/ Verification Typing on an Attached Segment is Pre-Release Requirement	Yes
11. Reservation and Cancellation Policies	
What Point is a CBU Reserved for a Patient	Reservation request
Length of Time a CBU can be Reserved in days	30
Reservation Fee	No
Reservation Cancellation Fee in Absence of Shipment Request	No
Can Reservation be Extended	Yes
Is a Unit Report Provided on a Unit that is Reserved for Another Patient	No
Is TC Informed when CBU is Released	No
12. Release and Shipment	
Hemoglobinopathy Screening Performed Prior to Release	Yes
Criteria to Ship a CBU Viability and Cell Count	40
Criteria to Ship a CBU HLA Identity Testing	Yes
Current Packaging for Shipment to TC	Overwrap
Current Packaging for Shipment to TC	Separate segment
Current Packaging for Shipment to TC	2 attached segments
Time Between Shipment Request and Sending CBU	1-2 weeks
Fee for Shipment Cancellation	Yes

Dry Shippers Validated to Maintain Temperature of at least -150 for 48 hours Beyond Expected Arrival	Yes
Electronic Temperature Data Logger on All Dry Shippers	Yes
Who Selects Transport Company	Requesting transplant centre
Shape of Transport Container	Cubic
13. Adverse Events Reporting	
Who are S(P)EARS Reported To National Registry	Yes
Who are S(P)EARS Reported To Transplant Center	Yes

14. Pictures of cord blood units in the inventory

15. Infectious Disease Marker (IDM) CURRENTLY performed.



Holiday Calendar

Team Calendars
