

(archived) CBB Survey 2015 WO-1381

CBB Survey 2015

These data are submitted by the cord blood bank to the WMDA in February 2015. The WMDA makes no representations or express or implied warranties regarding any information on this site or obtained through these links; expressly disclaims all legal liability and responsibility for the accuracy, completeness, currency, suitability, validity, or usefulness of such information; and is not and will not be liable for any statements, errors, or omissions in posted information, or for any losses, injuries, or damages that arise or are alleged to arise from such information. Use of any information provided on this site does not and is not intended to create a contractual or other relationship. All information is on an as-is basis. The data cannot be updated.

1. General Information	
Name of CBB	CBB UZ Gent
CBB Director	Bart
CBB Director	Vandekerckhove
Address	UZ Gent 1K12 IE
Address	De Pintelaan 185
Address	9000
Address	Gent
Phone Number	0032 473 870706
Date CBB Started Collecting Cord Blood Units <small>(month/day/year)</small>	01/01/2001
Number of Public Cord Blood Units	2,754
Planned Number of Public Cord Blood Units Stored in 2015	250
Lists on BMDW	Yes
Affiliated with National Stem Cell Donor Registry	Yes
Registry Affiliation	MDPB
2. Cord Blood Units in Inventory	
Current Processing Method	Liquid+ red manual
Current Processing Method	Vapour+ red manual
Year Current Process Method Started	2001
3. Accreditations, Licenses and Certifications	
FACT-Netcord	Yes
AABB	No
Competent Authority/ National Health Authority	Yes
Audited by National Stem Cell Registry	Yes
ISO	No
Other	NA
4. Cord Blood Collection	
Current Collection Practice <small>Is the collection In/Ex -Utero or both?</small>	In-utero
Current Antiseptic	Chlorhexidine
Current Antiseptic	Alcohol
Collection Bag	Double needle
Agitation during Collection	Automatic

5. Conditioning/Transport from Collection Site to CBB	
Secondary Bag Used	Yes
Transport Conditions	Qualified transporter
Transport Conditions	Insulating transport container
Transport Conditions	Electronic temperature probe
Transport Conditions	Ground transport
Temp. for Storage and Transport	Other (lower limit +1-35°C, higher limit +6-30°C)
6. Pre-Processing Evaluation	
Completed Prior to Accepting a CBU	Informed consent
Current Threshold for Accepting a CBU	Viability threshold CD45
Method for CD34 Remuneration	ISHAGE guidelines
External Proficiency Testing for QC of FACS Lab	Yes, other
External Proficiency Testing for QC of FACS Lab	UKNEQAS; WIV; Stemcell proficiency
Post Processing/ Pre Freeze CD34+ Cell Count	Yes
Time from Collection to Processing	up to 36H
7. Processing and Packaging	
Pre Freeze Processing Methods- Unit in Inventory	Optipress
Pre Freeze Processing Methods- Current	Optipress
Additives Currently in Use	Other:Plasmalyte
Current Cryopreservation Method	Conventional CRF
Current Cryoprotectant Additive	Other: DMSO and HES
Current Cryobag	Single bag 80:20
Current Target Cryopreservation Volume (mL)	25.0
Current Packaging for Storage	Canister
Current Packaging for Storage	More than one segment
8. Testing	
Extra Material Currently Stored	Cord blood material for DNA extraction
Extra Material Currently Stored	Plasma/cord blood
Extra Material Currently Stored	Maternal material for DNA extraction
Extra Material Currently Stored	Maternal plasma/serum
Current Post Processing Threshold for Accepting a CBU for Public Use TNC	100
Current Post Processing Threshold for Accepting a CBU for Public Use CD34 (10 ⁶) Single Platform	NA
Current Post Processing Threshold for Accepting a CBU for Public Use CD34 (10 ⁶) Double Platform	NA
Current Post Processing Threshold for Accepting a CBU for Public Use CFU-GM	NA
Current Post Processing Threshold for Accepting a CBU for Public Use CFU	NA
Current Post Processing Threshold for Accepting a CBU for Public Use Viability	90
9. Storage	

Type of Storage Container Used	Conventional storage tank vapor phase
Type of Storage Container Used	Conventional tank liquid phase
Monitoring of Storage	Alarm on individual tanks only
Monitoring of Storage	Centralized system remote monitoring
Monitoring of Storage	LN2 level
Monitoring of Storage	Lid opening
Monitoring of Storage	Temperature monitoring
10. HLA Typing	
Current Level of HLA Typing at Time of Listing HLA-A	HR
Current Level of HLA Typing at Time of Listing HLA-B	HR
Current Level of HLA Typing at Time of Listing HLA-C	HR
Current Level of HLA Typing at Time of Listing HLA-DRB1	HR
Current Level of HLA Typing at Time of Listing HLA-DQB1	HR
Current Level of HLA Typing at Time of Listing HLA-DPB1	
Accreditation of HLA Lab	EFI accredited lab
Average Turnaround Time for Extended HLA Typing Results in days	7
Attached Segment Used for Confirmatory/ Verification Typing	Yes
Units Listed without Attached Segment and have not been Previously Typed on Attached Segment	No
Percentage of CBUs that have an Attached Segment	below 50%
Confirmatory/ Verification Typing on an Attached Segment is Pre-Release Requirement	Yes
11. Reservation and Cancellation Policies	
What Point is a CBU Reserved for a Patient	CBU report request
Length of Time a CBU can be Reserved in days	60
Reservation Fee	No
Reservation Cancellation Fee in Absence of Shipment Request	No
Can Reservation be Extended	Yes
Is a Unit Report Provided on a Unit that is Reserved for Another Patient	No
Is TC Informed when CBU is Released	No
12. Release and Shipment	
Hemoglobinopathy Screening Performed Prior to Release	Yes
Criteria to Ship a CBU Viability and Cell Count	NA
Criteria to Ship a CBU HLA Identity Testing	Yes
Current Packaging for Shipment to TC	Metal canister
Current Packaging for Shipment to TC	One attached segment
Current Packaging for Shipment to TC	Protective sleeve

Time Between Shipment Request and Sending CBU	1-2 weeks
Fee for Shipment Cancellation	Yes
Dry Shippers Validated to Maintain Temperature of at least -150 for 48 hours Beyond Expected Arrival	Yes
Electronic Temperature Data Logger on All Dry Shippers	Yes
Who Selects Transport Company	CBB
Who Selects Transport Company	World Courier
Shape of Transport Container	Cubic
13. Adverse Events Reporting	
Who are S(P)EARS Reported To Competent Authority	Yes
Who are S(P)EARS Reported To Internal Report	Yes
Who are S(P)EARS Reported To National Registry	Yes
Who are S(P)EARS Reported To Transplant Center	Yes
Who are S(P)EARS Reported To WMDA	Yes

14. Pictures of cord blood units in the inventory

15. Infectious Disease Marker (IDM) CURRENTLY performed.



Holiday Calendar

Team Calendars
