(archived) CBB Survey 2017 WO-1322

Cord blood banking technology survey 2017

The data shown below is submitted by the cord blood bank to the WMDA in 2017. The WMDA makes no representations or express or implied warranties regarding any information on this site or obtained through these links; expressly disclaims all legal liability and responsibility for the accuracy, completeness, currency, suitability, validity, or usefulness of such information; and is not and will not be liable for any statements, errors, or omissions in posted information, or for any losses, injuries, or damages that arise or are alleged to arise from such information. Use of any information provided on this site does not and is not intended to create a contractual or other relationship. All information is on an as-is basis. The data can not be updated.

File	Modified
PDF File WO-1322-CBB-Tech-Survey-2017-(50).pdf	Oct 09, 2018 by Riny Heijdendael
JPEG File WO-1322_10-50-Q365-Storage_facility_MVE_Large_capacity_freezer-1200.jpg	Oct 09, 2018 by Riny Heijdendael
JPEG File WO-1322_10-50-Q365-Storage_facility_MVE_Large_capacity_freezer.JPG	Oct 09, 2018 by Riny Heijdendael
JPEG File WO-1322_11-50-Q383-steril_welding_TSCD-1200.jpg	Oct 09, 2018 by Riny Heijdendael
JPEG File WO-1322_11-50-Q383-steril_welding_TSCD.JPG	Oct 09, 2018 by Riny Heijdendael
JPEG File WO-1322_12-50-Q383-Volume_reduction_Sepax.JPG	Oct 09, 2018 by Riny Heijdendael
JPEG File WO-1322_13-50-Q383-Volume_reduction_Sepax2-1200.jpg	Oct 09, 2018 by Riny Heijdendael
JPEG File WO-1322_13-50-Q383-Volume_reduction_Sepax2.JPG	Oct 09, 2018 by Riny Heijdendael
JPEG File WO-1322_14-50-Q383-Volume_reduction_Sepax3.JPG	Oct 09, 2018 by Riny Heijdendael
JPEG File WO-1322_6-50-Q365-Reception_of_CBU-1200.jpg	Oct 09, 2018 by Riny Heijdendael
JPEG File WO-1322_6-50-Q365-Reception_of_CBU.JPG	Oct 09, 2018 by Riny Heijdendael
JPEG File WO-1322_7-50-Q365-Inventory_CBU.JPG	Oct 09, 2018 by Riny Heijdendael
JPEG File WO-1322_8-50-Q365-Cryopreservation_Smart-Max-1200.jpg	Oct 09, 2018 by Riny Heijdendael
JPEG File WO-1322_8-50-Q365-Cryopreservation_Smart-Max.JPG	Oct 09, 2018 by Riny Heijdendael
JPEG File WO-1322_9-50-Q365-Cryopreservation_IceCube_Eurocyl-1200.jpg	Oct 09, 2018 by Riny Heijdendael
JPEG File WO-1322_9-50-Q365-Cryopreservation_IceCube_Eurocyl.JPG	Oct 09, 2018 by Riny Heijdendael

Download All