

(archived) CBB Survey 2015 WO-1343

CBB Survey 2015

These data are submitted by the cord blood bank to the WMDA in February 2015. The WMDA makes no representations or express or implied warranties regarding any information on this site or obtained through these links; expressly disclaims all legal liability and responsibility for the accuracy, completeness, currency, suitability, validity, or usefulness of such information; and is not and will not be liable for any statements, errors, or omissions in posted information, or for any losses, injuries, or damages that arise or are alleged to arise from such information. Use of any information provided on this site does not and is not intended to create a contractual or other relationship. All information is on an as-is basis. The data cannot be updated.

1. General Information	
Name of CBB	BloodworksNW Cord Blood Services
CBB Director	Carol
CBB Director	Taylor
Address	921 Terry Ave.
Address	98104
Address	Seattle
Phone Number	206-689-6302
Website	bloodworksnw.org
Date CBB Started Collecting Cord Blood Units (month/day/year)	01/01/1998
Number of Public Cord Blood Units	11,996
Planned Number of Public Cord Blood Units Stored in 2015	850
Lists on BMDW	Yes
Affiliated with National Stem Cell Donor Registry	Yes
Registry Affiliation	NMDP
2. Cord Blood Units in Inventory	
Current Processing Method	Vapour+ red auto
Previous Processing Method	Vapour+ red manual
Previous Processing Method	Vapour- red manual
Year Current Process Method Started	2012
Percent of Units Plasma and RBC Reduced (manual)	70
Percent of Units Plasma and RBC Reduced (automated)	30
3. Accreditations, Licenses and Certifications	
FACT-Netcord	No
AABB	Yes
Competent Authority/ National Health Authority	No
Audited by National Stem Cell Registry	Yes
ISO	No
Other	A Biologic License Application has been submitted to the US Food and Drug Administration.
4. Cord Blood Collection	
Current Collection Practice Is the collection In/Ex -Utero or both?	In-utero

Current Antiseptic	Chlorhexidine
Collection Bag	Single needle
Agitation during Collection	Manual
5. Conditioning/Transport from Collection Site to CBB	
Secondary Bag Used	Yes
Transport Conditions	Qualified transporter
Transport Conditions	Insulating transport container
Transport Conditions	Passive refrigeration system
Transport Conditions	Electronic temperature probe
Transport Conditions	Air transport
Transport Conditions	Ground transport
Temp. for Storage and Transport	Other (lower limit +1-35°C, higher limit +6-30°C)
6. Pre-Processing Evaluation	
Completed Prior to Accepting a CBU	Medical history, collection report, informed consent
Current Threshold for Accepting a CBU	Viability threshold CD45
Method for CD34 Remuneration	Other
Method for CD34 Remuneration	ProCount
External Proficiency Testing for QC of FACS Lab	CAP
Post Processing/ Pre Freeze CD34+ Cell Count	Yes
Time from Collection to Processing	up to 48H
7. Processing and Packaging	
Pre Freeze Processing Methods- Unit in Inventory	SEPAX
Pre Freeze Processing Methods- Unit in Inventory	Volume reduction with HES-Manual
Pre Freeze Processing Methods- Current	SEPAX
Additives Currently in Use	HES
Current Cryopreservation Method	Conventional CRF
Current Cryoprotectant Additive	Ready for use DMSO-Dextran
Current Cryobag	Single bag 80:20
Current Target Cryopreservation Volume (mL)	25.0
Current Packaging for Storage	Overwrap
Current Packaging for Storage	Canister
Current Packaging for Storage	More than one segment
Current Packaging for Storage	Other: Two or three attached segments
8. Testing	
Extra Material Currently Stored	Cord blood material for DNA extraction
Extra Material Currently Stored	Plasma/cord blood
Extra Material Currently Stored	Maternal material for DNA extraction
Extra Material Currently Stored	Maternal plasma/serum
Current Post Processing Threshold for Accepting a CBU for Public Use	50


Current Post Processing Threshold for Accepting a CBU for Public Use CD34 (10^6) Single Platform	1.25
Current Post Processing Threshold for Accepting a CBU for Public Use CD34 (10^6) Double Platform	NA
Current Post Processing Threshold for Accepting a CBU for Public Use CFU-GM	NA
Current Post Processing Threshold for Accepting a CBU for Public Use CFU	Growth
Current Post Processing Threshold for Accepting a CBU for Public Use Viability	85
9. Storage	
Type of Storage Container Used	Conventional storage tank vapor phase
Monitoring of Storage	Centralized alarm system local
Monitoring of Storage	LN2 level
Monitoring of Storage	Temperature monitoring
10. HLA Typing	
Current Level of HLA Typing at Time of Listing HLA-A	HR
Current Level of HLA Typing at Time of Listing HLA-B	HR
Current Level of HLA Typing at Time of Listing HLA-C	HR
Current Level of HLA Typing at Time of Listing HLA-DRB1	HR
Current Level of HLA Typing at Time of Listing HLA-DQB1	HR
Current Level of HLA Typing at Time of Listing HLA-DPB1	
Accreditation of HLA Lab	ASHI accredited lab
Average Turnaround Time for Extended HLA Typing Results in days	8
Attached Segment Used for Confirmatory/ Verification Typing	Yes
Units Listed without Attached Segment and have not been Previously Typed on Attached Segment	Yes
Percentage of CBUs that have an Attached Segment	75-90%
Confirmatory/ Verification Typing on an Attached Segment is Pre-Release Requirement	No
11. Reservation and Cancellation Policies	
What Point is a CBU Reserved for a Patient	Reservation request
Length of Time a CBU can be Reserved in days	Other
Length of Time a CBU can be Reserved in days	As long as transplant center requires.
Reservation Fee	No
Reservation Cancellation Fee in Absence of Shipment Request	No
Can Reservation be Extended	Yes
Is a Unit Report Provided on a Unit that is Reserved for Another Patient	No
Is TC Informed when CBU is Released	Yes

12. Release and Shipment	
Hemoglobinopathy Screening Performed Prior to Release	Yes
Criteria to Ship a CBU Viability and Cell Count	NA
Criteria to Ship a CBU HLA Identity Testing	Yes
Current Packaging for Shipment to TC	Overwrap
Time Between Shipment Request and Sending CBU	0-3 days
Fee for Shipment Cancellation	No
Dry Shippers Validated to Maintain Temperature of at least -150 for 48 hours Beyond Expected Arrival	Yes
Electronic Temperature Data Logger on All Dry Shippers	Yes
Who Selects Transport Company	Requesting transplant centre
Shape of Transport Container	Mushroom
13. Adverse Events Reporting	
Who are S(P)EARS Reported To Competent Authority	Yes
Who are S(P)EARS Reported To Internal Report	Yes
Who are S(P)EARS Reported To National Registry	Yes
Who are S(P)EARS Reported To Transplant Center	Yes

14. Pictures of cord blood units in the inventory



15. Infectious Disease Marker (IDM) CURRENTLY performed.



Holiday Calendar

Team Calendars
