

# CB banking specifics WO-2176

*This CBB only deals with CBU release from existing stock, it is doesn't perform any CBU banking activities anymore. That is the same for CBBs in Grenoble, Rennes, Lille, Créteil, Lyon, Marseille and Poitiers. These are so called inactive CBBs.*

*The CBBs of Creteil and Grenoble have nonetheless answered the form with Banking Specifics, relying on practices they used when performing CBU banking in the past.*

The WMMA makes no representations or express or implied warranties regarding any information on this site or obtained through these links; expressly disclaims all legal liability and responsibility for accuracy, completeness, currency, suitability, validity, or usefulness or such information; and is not and will not be liable for any statements, errors, or omissions in posted information, or for any losses, injuries, or damages that arise or are alleged to arise from such information. Use of any information provided on this site does not and is not intended to create a contractual or other relationship. The information is provided for guidance only and is updated on an annual basis, CBB protocols, processes and fee structures may change in the meantime and if you have any queries please aks you Search Coordinator for the most up to date information.

## Section 1 General Info

Question	CBB answer
The information has been reviewed in year :	
Name of the cord blood bank:	Etablissement français du sang Unité d'ingénierie et de thérapie cellulaire-Banque de sang placentaire 5, rue Gustave Eiffel 94017 Créteil Cedex France
Number of cord blood units the cord blood bank plans to store for public use (unrelated patients):	2839

## Section 2 Cord Blood Units in Inventory

Question	CBB answer
Current processing method(s):	
Plasma and RBC reduced (automatic)	checktrue
Plasma reduction only	checkfalse
Plasma and RBC reduced (manual)	checkfalse
RBC reduction only	checkfalse
Total Nucleated Cell Count (x10E7) of your cord blood units stored for Unrelated Patients (Public Use).	
< 125 :	1057
125 - 149 :	580
150 - 199 :	878
200 - 250 :	246
> 250 :	78

## Section 3 Cord Blood Collection

Question	CBB answer
Current practice for collecting cord blood:	In-utero
Current antiseptic:	Other Biseptine
Collection bag:	Other Macopharma MCS 1208DU
Agitation during collection:	Automatic

## Section 4 Conditioning and transport from Collection Centre to cord blood bank

Question	CBB answer
Secondary bag used by the cord blood bank (sealed, plastic bag or similar to avoid any leakage):	yes
Transport conditions:	
Insulating transport container	checktrue
Active refrigeration system	checkfalse
Passive refrigeration system (gel, blocks)	checktrue
Electronic temperature probe	checktrue
Non-electronic temperature probe	checkfalse
Qualified transporter	checktrue
Unqualified transporter	checkfalse
Air transport	checkfalse
Ground transport	checktrue
Other,	checkfalse
Temperature range for storage and transportation of fresh product:	Defined (above +8°C)

## Section 5 Evaluation

Question	CBB answer
Pre-processing Evaluation: Current threshold for accepting a cord blood unit for public use in the cord blood bank:	
Net weight in grams (excluding bag and anticoagulant) before processing	70 - 79.99 grams
TNC (10E7) before processing	125 - 149
Viability CD45 positive cells (%)	80 - 89%
Viability CD45 positive cells (method)	7AAD
Viability CD34 positive cells (%)	90 - 100%
Viability CD34 positive cells (method)	7AAD
Criteria that are completed before accepting a cord blood unit for public use in the cord blood bank:	
Medical History	checktrue
Collection Report	checktrue
Informed Consent	checktrue
Maternal IDM results	checktrue
Temperature and integrity of the bag	checkfalse
Other,	checkfalse
Used method for CD34 enumeration:	Cytometry single platform
The cord blood banks uses external proficiency testing for QC of the cord blood banks FACS lab:	yes

The cord blood bank performs post processing/pre-freeze CD34 cell count:	yes
Acceptable time from collection to processing:	Other &lt;36h

## Section 6 Processing-Packaging

Question	CBB answer
The pre-freeze processing method(s) cord blood bank uses at any stage in time:	
AXP	checkfalse
SEPAX	checktrue
Optipress	checkfalse
Prepacyte	checkfalse
Manual- plasma and red cell reduction	checkfalse
RBC/plasma reduction with HES	checkfalse
Ficoll sedimentation	checkfalse
Centrifugation and volume reduction	checkfalse
No processing	checkfalse
Manual- plasma reduction only	checkfalse
Other,	checkfalse
The current pre-freeze processing method(s):	
AXP	checkfalse
SEPAX	checktrue
Optipress	checkfalse
Prepacyte	checkfalse
Manual- plasma and red cell reduction	checkfalse
RBC/plasma reduction with HES	checkfalse
Ficoll sedimentation	checkfalse
Centrifugation and volume reduction	checkfalse
No processing	checkfalse
Manual- plasma reduction only	checkfalse
Other,	checkfalse
Additives currently in use in addition to anticoagulants and DMSO during processing:	
HES	checktrue
Prepacyte	checkfalse
Plasmalyte	checkfalse
Albumin	checkfalse
Isotonic salt solution NaCl (saline)	checkfalse
No additive	checkfalse
Other,	checkfalse
Cryoprotectant additives currently in use:	Other reagent(s) HES
Cryopreservation method currently in use:	

BioArchive	checkfalse
MVE 1850 Vapor freezer	checkfalse
Programmed cryopreservation with Air Liquid program (FREEZAL)	checkfalse
Programmed freezer	checktrue
Two-step (equilibrium) freezing	checkfalse
Cryobag currently in use:	Single bag (one fraction)
Currently used packaging when a unit is stored:	Metal canister
Segments currently stored with the unit by the cord blood bank:	
One attached segment	checktrue
Two or more attached segments	checkfalse
Separate segments detached from the bag, but stored with the CBU	checktrue
Other samples	checkfalse
None	checkfalse

## Section 7 Testing

Question	CBB answer
Does your cord blood bank currently store extra material?	
Cord blood DNA	checktrue
Cord blood material for DNA extraction	checktrue
Plasma/cord blood	checktrue
Maternal DNA	checktrue
Maternal material for DNA extraction	checkfalse
Maternal plasma/serum	checktrue
HLA typing at time of listing:	
HLA-A	Low resolution
HLA-B	Low resolution
HLA-C	Low resolution
HLA-DRB1	Low resolution
HLA-DRB2	Not performed
HLA-DPB1	Not performed

## Section 8 Storage

Question	CBB answer
The following type(s) of storage container is currently used by the cord blood bank:	
BioArchive tank	checkfalse
Conventional storage tank-Vapor phase	checkfalse
Conventional tank-Liquid phase	checktrue

Double walled liquid Nitrogen	checkfalse
Type following type(s) of storage monitoring is currently by the cord blood bank:	
Alarm on individual tanks only	checkfalse
Centralized system-local	checkfalse
Centralized system-remote monitoring	checktrue
LN2 level	checktrue
Lid opening	checkfalse
System default	checktrue
Temperature monitoring	checktrue
No temperature monitoring	checkfalse

## Section 9 Adverse Events Reporting

Question	CBB answer
Adverse Event Reporting used by the cord blood bank:	
Competent authority	checktrue
Internal report	checktrue
National registry	checktrue
Transplant centre	checkfalse
WMDA	checkfalse